

US
PH
010679WO
PCT

MAT.
DOSSIER


WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification: A46D 1/00	A1	(11) International Publication Number: WO 96/09781 (43) International Publication Date: 4 April 1996 (04.04.96)
(21) International Application Number: PCT/EP95/03830 (22) International Filing Date: 28 September 1995 (28.09.95) (30) Priority Data: MI94A001979 28 September 1994 (28.09.94) IT (71)(72) Applicant and Inventor: LOCILENTO, Michele [IT/IT]; Via Corridoni, 68, I-20080 Vermezzo (IT). (74) Agent: GERVASI, Gemma; Notarbartolo & Gervasi S.r.l., Viale Bianca Maria, 33, I-20122 Milano (IT).		(81) Designated States: AM, AU, BB, BG, BR, BY, CA, CN, CZ, EE, FI, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, RO, RU, SD, SG, SI, SK, TJ, TM, TT, UA, UG, US, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG), ARIPO patent (KE, MW, SD, SZ, UG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>

(54) Title: ANTI-TRAUMATIC MULTIFUNCTIONAL BRISTLE



(57) Abstract

"Multifunctional bristle" means that said bristle simultaneously effects several actions. In particular, this is obtained by giving to said bristle a suitable shape. The anti-traumatic multifunctional bristle (10, 20) object of the present invention is characterized by the fact that it presents a step structure, wherein said step structure can consist of a plurality of cylinders (11, 12, 13) or cones (21, 22, 23).

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

- 1 -

ANTI-TRAUMATIC MULTIFUNCTIONAL BRISTLE

State of the art and summary of the invention

Toothbrush bristles are usually traumatic on teeth and gums, though being quite effective against the dental plaque, causing micro-lesions on the dental enamel whereon more plaque adheres. In a long-term while this fact causes gingivitis and irreversible damages to the dental structure.

Since they use very thin threads, present toothbrushes employ very hard bristles made of syntetic or natural material in order to have a sufficient consistency.

Some toothbrushes presenting a non-traditional shape have bristles obtained by an injection moulding; however, because of their shape and scarce efficiency, they produce more damages than the traditional ones. Furthermore, they have less effective action on the bacteric plaque, not allowing the adequate movement required by the specific dental structure (each person has different needs according to his/her own problems), and also because the bristles (generally shorter than the traditional ones) of these toothbrushes damage the gums with their low flexibility.

Anyway, the prior art bristles are not anti-traumatic and multifunctional as claimed for those of the invention described in the following.

In the present specification, the term "multifunctional bristle" means that said bristle simultaneously effects several actions. In particular, this is obtained by giving to said bristle a suitable shape.

CONFIRMATION COPY

- 2 -

The anti-traumatic multifunctional bristle object of the present invention is characterized by the fact that it presents a step structure, wherein said step structure can consist of a plurality of cylinders or frustums of cone.

- 5 In order to improve the removal action performed by a head, e.g. an extractable head, it is also possible to provide said head with bristles presenting various roughnesses, and/or various edges, and/or various rulings, and/or irregular geometrical shapes, and/or a rectangular or triangular shape, and/or at least one threaded screw.
- 10 The bristles according to the present invention can be made of a hydro-repellent material, e. g. polyethylene or similar by-products, or gummy material, or silicone rubber. The claimed bristles can be built up by means of an injection moulding process.

It is also claimed the use of said bristles on an extractable head for
15 toothbrush. In particular, the extractable head can be mounted on electronic toothbrush devices.

List of the alleged figures

Various other objects, features and advantages of the present invention will be more fully appreciated from the following
20 detailed description of the preferred embodiments, when considered in connection with the accompanying drawings, wherein:

figure 1 shows a side view of a first embodiment of the bristle object of the present invention;

figure 2 shows a top view of the bristle of figure 1;

25 figur 3 shows a side view of a second embodiment of the bristle object of the present invention;

figure 4 shows a top view of the bristle of figure 3;

- 3 -

figure 5 shows an extractable head for toothbrush using a plurality of bristles according to the first embodiment shown in figures 1 and 2.

Detailed description of the invention

The term "anti-traumatic multifunctional bristle" used in the present
5 specification refers to the shape and the consistency of said bristle due to the use of non-traumatic materials, such as polyethylene or similar by-products having low or high density.

The first embodiment shown in figures 1, 2 refers to a bristle composed of a plurality of cylinders having different diameters In
10 particular, bristle 10 consists of a plurality of cylinders 11, 12, 13. The larger the distance from the base 14, the smaller the cylinder diameter.

Figures 3, 4 show a second embodiment of the present invention, wherein the bristle 20 consists of a plurality of frustums of cone 21,
15 22, 23. Likewise, the larger the distance from the base 24, the smaller the cone diameters.

In these two embodiments it is not the single bristle which works, but each concentric section of the bristle itself.

In addition to the superimposed cylinders or frustums of cone,
20 roughnesses, and/or various edges, and/or various rulings, and/or irregular geometrical shapes, and/or a rectangular or triangular shape, and/or at least one threaded screw (not shown in the alleged figures) can be provided.

The bristles according to the present invention can be made of a
25 hydro-repellent material, e. g. polyethylene or similar by-products, or gummy material, or silicone rubber. The claimed bristles can be built up by means of an injection moulding process.

- 4 -

- A very important aspect, which is different from the traditional bristles, is due to the fact that the user can determine the hardness of the bristle section to be used by more or less pressing the bristles against the cleaning part. Thus, bristles having a controlled
- 5 action can be obtained. It is obvious that the thin top section of the bristle does not traumatize the gums by performing the gingival massage. Therefore, if the user exerts less pressure, he does not traumatize the gums, whereas traditional bristles traumatize them even by a simple skimming because of their hardness.
- 10 The tidy bristle disposition as well as their special material, e.g. water-repellent polyethylene, allow a better cleaning of the toothbrush, e. g. with a treatment with hot water for 3 minutes. A further advantage of the bristle is due to the elasticity of the used materials.
- 15 Said bristles are multifunctional due to the following simultaneous actions:
- 1) Elastic action : it depends on the material; the bristles generally return to the starting position after the action.
 - 2) Vibrating action : the bristles are disposed so that, moving
 - 20 together, they vibrate on the part to be cleaned.
 - 3) Sussultatory action : the bristles present a concentric cylindrical or frusto-conical shape; therefore, each section slightly jumps when the toothbrush glides on the teeth or on the gums, thus creating a sussultatory movement.
 - 25 4) R -sussultatory action : during the gliding on the part to be cleaned, the lower part of the concentric frustums of cone having greater consistency creates a further stronger sussultatory movement

- 5 -

which can be defined a "re-sussultatory action".

5) Sliding and removal action : it depends on the kind of material and is based on the principle that when two bodies scrape on each other, the harder removes the softer. It should be noted that the used
5 material is harder than the plaque and softer than the dental enamel, i.e. it is different from traditional bristles, which are harder than plaque, dental enamel and gums.

Only one of the aforesaid actions is nowadays used, i.e. the removal action due to the bristle consistency, but not to its shape, which is
10 smooth. Therefore, if said bristles have to be effective, they must be very hard and, as a consequence of this fact, very traumatizing.

Figure 5 shows an extractable head 100 consisting of a main body 30 which supports a plurality of bristles 10 (in this figure the bristles 10 are partially deformed). Inside the main body 30 a cavity 40 is
15 provided in order to receive the handle (not shown) of the toothbrush. The plurality of bristles 10 and the main body 30 can be obtained with only one moulding operation.

It should be understood that several modifications may be made in the specific form of the invention shown in the drawings and described
20 above without deviating from the broader aspects of the invention.

- 6 -




CLAIMS

- 1 1. An anti-traumatic multifunctional bristle (10, 20) characterized by
2 the fact that it presents a step structure.
- 1 2. Bristle according to claim 1, wherein said step structure consists
2 of a plurality of cylinders (11, 12, 13) or frustums of cone (21, 22,
3 23).
- 1 3. Bristle according to claim 1, wherein said step structure presents
2 various surface roughnesses.
- 1 4. Bristle according to claim 1, wherein said step structure presents
2 various edges.
- 1 5. Bristle according to claim 1, wherein said step structure presents
2 various rulings.
- 1 6. Bristle according to claim 1, wherein said step structure presents
2 an irregular geometrical shape.
- 1 7. Bristle according to claim 1, wherein said step structure has a
2 rectangular or triangular shape.
- 1 8. Bristle according to claim 1, wherein said step structure presents
2 on its surface at least one threaded screw.
- 1 9. Bristle according to claim 1, made of a hydro-repellent material.
- 1 10. Bristle according to claim 9, wherein said hydro-repellent
2 material is polyethylene or similar by-products.
- 1 11. Bristle according to claim 9, wherein said hydro-repellent
2 material is a gummy material.
- 1 12. Bristle according to claim 9, wherein said hydro-repellent
2 material is silicone rubber.
- 1 13. Bristle according to claim 1, built up by means of an injection
2 moulding process.

- 7 -

- 1 14. Bristle according to claim 1, placed on an extractable head (100)
2 for toothbrush.
- 1 15. Bristle according to claim 1, mounted on electronic toothbrush
2 devices.
- 1 16. Bristle according to claim 1, having one or more than one of the
2 features claimed in claims 1-14.
- 1 17. An extractable head (100) for toothbrush presenting a plurality of
2 bristles (10, 20) as claimed in claim 16.
- 1 18. Extractable head (100) according to claim 17, presenting a cavity
2 (40) in order to provide its coupling with a handle.
- 1 19. A toothbrush using an extractable head (100) as per claim 17.

1/1



INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 95/03830

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 A46D1/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A46D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	DE,U,90 12 603 (CORONET-WERKE HEINRICH SCHLERF) 9 January 1992 see page 3, paragraph 3 - page 4, paragraph 1; claim 1; figures ---	1, 17, 19
A	DE,B,11 85 574 (SOCIÖTÖ RHODIACETA) 21 January 1965 see the whole document ---	1, 17, 19
A	GB,A,1 098 357 (LEWIS) 10 January 1968 see page 2, line 113 - page 4, line 112; figures ---	1, 17, 19
A	US,A,4 565 205 (TAYLOR) 21 January 1986 see claims; figures ---	1, 17, 19
	--- -/--	

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

& document member of the same patent family

Date of the actual completion of the international search

19 January 1996

Date of mailing of the international search report

02.02.96

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentaan 2
NL - 2280 HV Rijswijk
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+ 31-70) 340-3016

Authorized officer

Ernst, R

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 95/03830

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US,A,4 307 478 (WARD ET AL.) 29 December 1981 see claims; figures -----	1,17,19

INTERNATIONAL SEARCH REPORT

Information on patent family members

Intern. Application No

PCT/EP 95/03830

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
DE-U-9012603	09-01-92	NONE	
DE-B-1185574		NONE	
GB-A-1098357		NONE	
US-A-4565205	21-01-86	US-A- 4660582	28-04-87
		US-A- 4804004	14-02-89
US-A-4307478	29-12-81	US-A- 4376746	15-03-83

THIS PAGE BLANK (USPTO)